

## Lumbar Spine References

- Airaksinen O, Herno A, Kaukanen E, et al. Density of lumbar muscles 4 years after decompressive spinal surgery. *Eur Spine J*. 1996; 5: 193-197
- Barone and Gangaway (2007) Barone, D., & Gangaway, J. MK (2007). Aquatic physical therapy for low back pain: what are the outcomes? *The Journal of Aquatic Physical Therapy*, 15(2), 18-24.
- Biely S, Smith SS, Silfies SP. Clinical instability of the lumbar spine: diagnosis and intervention. *Orthopaedic Practice*. 2006; 18: 11-18.
- Bressel E, Dolny DG, Vandenberg C, Cronin JB. (2012) Trunk muscle activity during spine stabilization exercises performed in a pool. *Physical Therapy in Sport*.13: 67-72.
- Callaghan JP, Gunning JL, McGill SM. The relationship between lumbar spine load and muscle activity during extension exercise. *Phyr Therapy*. 1998;78:8-18
- Chatzitheodorou D, Kabitsis C, Malliou P, Mougios V. (2007). A pilot study on the effects of high intensity aerobic exercise versus passive interventions on pain, disability psychological strain and serum cortisol concentrations in people with chronic low back pain. *Physical Therapy*, 87(3), 304-312
- Choen I, Rainville J.,(2002) Aggressive exercise as treatment for chronic low back pain. *Sports Medicine*. 32: 75-82
- Colado, JC, Tella, V, Triplet, NT. (2008) A method for monitoring intensity during aquatic resistance exercise. *Journal of Strength and Conditioning Research*, 22(6): 2045-2049.
- Daniels L, Worthingham C. *Therapeutic exercise for body alignment and function* (2nd ed.). Philadelphia: W.B. Saunders Company; 1997.
- Danneels LA, Vanderstraeten GG, Cambier DC, et al. Effects of three different training modalities on the cross sectional area of the lumbar multifidus muscle in patients with chronic low back pain. *Br J Sports MED*. 2001;35:186-191
- Deniz Bayraktar, Arzu Guclu-Gunduz, Johan Lambeck, Gokhan Yazici, Sukru Aykol & Harun Demirci (2015) A comparison of water-based and land-based core stability exercises in patients with lumbar disc herniation: a pilot study, *Disability and Rehabilitation*, 38:12, 1163-1171, DOI: [10.3109/09638288.2015.1075608](https://doi.org/10.3109/09638288.2015.1075608)
- Deyo, RA, Diehl, AK. (1988) Cancer as a cause of back pain: frequency, clinical presentation and diagnostic strategies. *Journal of General Internal Medicine*. 3(3):230-238
- Delitto, A et. Al. (2012) Low back pain, clinical practice guidelines linked to the international classification of functioning, disability, and health from the orthopedic section of the American physical therapy association. *Journal of Orthopedic and Sports Physical Therapy*. 42(4): A1-A57.
- Dundar U, S. O., Yigit I, E. D., & V, K. (2009). Clinical Effectiveness of aquatic exercise to treat chronic low back pain: a randomized controlled clinical trial. *Spine*, 1436-40.

- Ekstrom RA, Donatelli RA, Carp KC. Electromyographic analysis of core trunk, hip and thigh muscles during 9 rehabilitation exercises. *Journal of Orthopaedic & Sports Physical Therapy*. 2007; 37: 754-762.
- Frogner B.K., Harwood K., Andrilla C.H.A, Schwartz M., Pines J. M, (2018) Physical Therapy as the First Point of Care to Treat Low Back Pain: An Instrumental Variables Approach to Estimate Impact on Opioid Prescription, Health Care Utilization, and Costs, Health Services Research. First published: 23 May 2018 | <https://doi.org/10.1111/1475-6773.12984>
- George SZ, Fritz JM, Childs JD. Investigation of the elevated fear-avoidance beliefs for patients with low back pain: a secondary analysis involving patients enrolled in physical therapy trials . *Journal of Orthopaedic & Sports Physical Therapy*. 2008; 38:50-58.
- Hides JA, Richardson CA. Long-term effects of specific stabilizing exercises for the first episode low back pain. *Spine*. 2001; 26:E234-E248.
- Hides JA, Richardson CA, Jull GA. Multifidus muscle recovery is not automatic after resolution of acute, first-episode low back pain. *Spine*. 1996; 21: 2763-2769.
- Irandoost, Khadijeh; Taheri, Morteza; Shavikloo, Javad (2018)The Effect of Water-Based Aerobic Training on the Dynamic Balance and Walking Speed of Obese Elderly Men with Low Back Pain Sleep and Hypnosis (Online); Istanbul Vol. 20, Iss. 3, (2018): 233-240.  
DOI:10.5350/Sleep.Hypn.2017.19.0155
- Kader DF, Wardlaw D, Smith FW. Correlation between the MRI changes in the lumbar multifidus muscles and leg pain. *Clin Radiol*. 2000; 55: 145-149.
- Keane L. Comparing AquaStretch with Land Stretching for Chronic Lower Back Pain. Poster Presented at; International Aquatic Fitness Conference (IAFC); May 2015; Palm Harbor Florida.
- Kendall FP, McCreary EK. *Muscles testing and function* (5th ed.). Baltimore: Lippincott Williams & Wilkins; 2005.
- Kim, YS, Park, J, Shim, JK. (2010) Effects of aquatic backward locomotion exercise and progressive resistance exercise on lumbar extension strength in patients who have undergone lumbar disectomy. *Archives of Physical Rehabilitation*. 91(2): 208-214.
- Kisner C, Colby LA. (2007) *Therapeutic Exercise* (5<sup>th</sup> ed.). Philadelphia: F.A. Davis Company.
- Kramer M, Katzmaier P, Eisele R, et al. Surface electromyography-verified muscular damage associated with the open dorsal approach to the spine. *Eur Spine J*. 2001; 10:414-420
- Kuck JR, Hasson SM, Olson SL. Effects of aquatic spinal stabilization exercise in patients with symptomatic lumbar spinal stenosis. *Journal of Aquatic Physical Therapy*. 2005; 13(2): 11-20.
- Lee D. *The pelvic girdle* (3rd ed.). Philadelphia: Churchill Livingstone:2002
- Lee, J.-S., & Kang, S.-J. (2016). The effects of strength exercise and walking on lumbar function, pain level, and body composition in chronic back pain patients. *Journal of Exercise Rehabilitation*, 12(5), 463–470. <http://doi.org/10.12965/jer.1632650.325>

MahyarSalavatiPhD, PT<sup>a</sup>BehnamAkhbariPhD, PT<sup>a</sup>Ismail EbrahimiTakamjaniPhD, PT<sup>b</sup>HosseinBagheriPhD, PT<sup>c</sup>KamranEzzatiPhD, PT<sup>a</sup>Amir HosseinKahlaeePhD, PT<sup>a</sup> Effect of spinal stabilization exercise on dynamic postural control and visual dependency in subjects with chronic non-specific low back pain. *Journal of Bodywork and Movement Therapies* Volume 20, Issue 2, April 2016, Pages 441-448  
<https://doi.org/10.1016/j.jbmt.2015.10.003>

Manniche C. Clinical benefit of intensive dynamic exercises of low back pain. *Scand J Med Sci Sports*. 1996; 6: 82-87.

Murtezani A, Hundozi H, Gregory AA, Clary R. (2011) A comparison of high intensity aerobic exercise and passive modalities for the treatment of workers with chronic low back pain: a randomized controlled trial. *European Journal of Physical rehabilitation and Medicine*.

Nahrul Khair B., Adnan R., Ahmad H., Sulaiman N., Ismail S.I. (2014) A Pilot Study: Effects of Aquatic and Land Spinal Stabilisation Training on the Management of Back Pain. In: Adnan R., Ismail S., Sulaiman N. (eds) *Proceedings of the International Colloquium on Sports Science, Exercise, Engineering and Technology 2014 (ICoSSEET 2014)*. Springer, Singapore

Nourbakhsh MR, Arab AM. Relationship between mechanical factors and incidence of low back pain. *Journal of Orthopedic Sports Physical Therapy*. 2002; 32: 447-456.

Oh JS, Cynn HS, Won JH, Kwon OY, Yi CH (2007) Effects of performing an abdominal drawing-in maneuver during prone hip extension exercises on hip and back extensor muscle activity and amount of anterior pelvic tilt. *Journal of Orthopedic & Sports Physical Therapy*; 37(6): 320-324

O'Sullivan, P. B., Twomey, L. T., & Allison, G. T. (1997). Evaluation of specific stabilizing exercise in the treatment of chronic low back pain with radiologic diagnosis of spondylolysis or spondylolisthesis. *Spine*, 24, 2959-2967.

Rantanen J, Hurme M, Falck B, et al. The lumbar multifidus muscle five years after surgery for a lumbar intervertebral disc herniation. *Spine*. 1993; 18:568-74.

Rydeard R, Leger A, Smith D. Pilates-based therapeutic exercise: effect on subjects with nonspecific chronic low back pain and functional disability: a randomized controlled trial. *Journal of Orthopedic & Sports Physical Therapy*, 2006; 36: 472-483.

Sahrmann SA. *Diagnosis and treatment of movement impairment syndromes*. St. Louis: Mosby, Inc.;2002.

Simmerman SM, Sizer PS, Dedrick GS, Apte GG, Brismee JM. (2011) Immediate changes in spinal height and pain after aquatic vertical traction in patients with persistent low back pain and signs of nerve root compression. *Physical Medicine and Rehabilitation*. 3(5) 447-57.

Teyhen D, Painter EE. *Examination, Diagnosis and Interventions for patients with lumbar instability: an evidence based approach*. Paper presented at the meeting of the Advanced Clinical Practice. Orange, CA. 2006

Teyhen, D. S., Rieger, J. L., Westrick, R. B., Miller, A. C., Molloy, J. M., & Childs, J. D. (2008). Changes in deep abdominal muscle thickness during common trunk-strengthening exercises using ultrasound imaging. *Journal of Orthopedic & Sports Physical Therapy*, 38, 596-605.

Winter SV, McCauley-Callagy S. Effects of aquatic lumbar stabilization and strengthening exercise protocol on chronic low back pain patients. *The Journal of Aquatic Physical Therapy*. 2002; 10:11-20.

Shi, Zhongju, MD; Zhou, Hengxing, PhD; Lu, Lu, PhD; Pan, Bin, MD; Wei, Zhijian, MD; Yao, Xue, PhD; Kang, Yi, MM; Liu, Lu, MM; Feng, Shiqing, PhD (2018) Aquatic Exercises in the Treatment of Low Back Pain: A Systematic Review of the Literature and Meta-Analysis of Eight Studies  
American Journal of Physical Medicine & Rehabilitation: [February 2018 - Volume 97 - Issue 2 - p 116-122](#)doi: 10.1097/PHM.0000000000000801

### Deep Water References

- Arborelius, M., Balldin, U. I., Lilja, B., & Lundgren, CEG (1972). Hemodynamic changes in man during immersion with head above water . *Aerospace Medicine*, 43(6), 592-598.
- Barretta, R. (1995). Training effects of a 14 week deep water exercise program. *Journal of Aquatic Physical Therapy* , 3(3), 19-25.
- Broman, G., Quintana, M., Lindberg, T., Jansson, E., & Kaijser , L. (2006). High intensity deep water training can improve aerobic power in elderly women . *European Journal of Applied Physiology* , 98(2), 117-123.
- Burdenko, I. N., & Miller, J. A. (2001). *Defying gravity: the Burdenko method* . Wayland, MA: The Burdenko Institute .
- Bushman, B. A., Flynn, M. G., Andres, F. F., & Lambert, C. P. (1997). Effect of 4 week deep water run training on running performance . *Journal of Medicine & Science in Sports & Exercise*, 29(5), 694-699.
- Dowzer, C. N., Reilly, T., & Cable, N. T. (1998). Effects of deep and shallow water running on spinal shrinkages. *British Journal of Sports Medicine*, 32, 44-48.
- Gehring, M. M., Keller, B. A., & Brehm, B. A. (1997). Water running with and without floatation vest in competitive and recreational runners. *Journal of Medicine & Science in Sports and Exercise*, 29(10), 1374-1378.
- Grosse, S. J. (2007). Deep water participation means preparation for deep water rescue: are you ready? *AKWA, June/July*, 32-34.
- Hertler, L., Provost-Craig, M., Sestili, D., Hove, A., & Fees, M. (1992). Water running and the maintenance of maximal oxygen consumption and leg strength in runners. *Medicine and Science in Sports and Exercise* , 24(5), S23.
- Masumtoo, K., Delion, D., & Mercer, J. (2009). Insight into muscle activity during deep water running. *Medicine & Science in Sports & Exercise*, 41(10), 1958-1964.
- Michaud, T. L., Brennan, D. K., Wilder, R. P., & Sherman, N. W. (1992). Aquarun training and changes in treadmill running maximum oxygen consumption. *Medicine and Science in Sports and Exercise*, 24(5), S23.
- Robertson , J. M., Brewester, E. A., & Factora, K. I. (2001). Comparison of heart rates during water running in deep and shallow water at the same rate of perceived exertion . *The Journal of Aquatic Physical Therapy* , 9(1), 21-26.
- Ruoti, R. G., Morris, D. M., & Cole, A. J. (1997). *Aquatic rehabilitation*. Philadelphia: Lippincott.
- Scalone, B. A. (2007). Benefits of deep water therapy. *AKWA, June/July*, 44-45.