

References for “Exercise as a Therapeutic Intervention for the Cancer Survivor”
G. Stephen Morris, PT, Ph.D., FACSM

F.M. Ivey, R.F. Macko, A.S. Ryan & C.E. Hafer-Macko (2005) Cardiovascular Health and Fitness After Stroke, *Topics in Stroke Rehabilitation*, 12:1, 1-16.

Litterini AJ, Fieler VK, Cavanaugh JT, Lee JQ. Differential effects of cardiovascular and resistance exercise on functional mobility in individuals with advanced cancer: a randomized trial. *Arch Phys Med Rehabil*. 2013 Dec;94(12):2329-35.

Mason C, Alfano CM, Smith AW, et al. Long-term physical activity trends in breast cancer survivors. *Cancer Epidemiol Biomarkers Prev*. 2013;22(6):1153-61.

Shi JW, MacInnis RJ, Boyle T, et al. Physical Activity and Sedentary Behavior in Breast and Colon Cancer Survivors Relative to Adults Without Cancer. *Mayo Clin Proc*. 2017 Mar;92(3):391-398.

Jones LW, Courneya KS, Mackey JR. Cardiopulmonary function and age-related decline across the breast cancer survivorship continuum. *J Clin Oncol*. 2012;30(20):2530-7.

Jones LW, Eves ND, Scott JM. Bench-to-Bedside Approaches for Personalized Exercise Therapy in Cancer. *Am Soc Clin Oncol Educ Book*. 2017;37:684-694.

Scott JM, Nilsen TS, Gupta D, Jones LW. Exercise Therapy and Cardiovascular Toxicity in Cancer. *Circulation*. 2018;137(11):1176-1191.

Eanes, L. CE: Too Much Sitting: A Newly Recognized Health Risk. *Am J Nurs*. 2018;118(9):26-34.

Lynch BM, Dunstan DW, Vallance JK, et al. Don't take cancer sitting down: a new survivorship research agenda. *Cancer*. 2013;119(11):1928-35.

Scott JM, Nilsen TS, Gupta D, et al. Running on empty: cardiovascular reserve capacity and late effects of therapy in cancer survivorship. *J Clin Oncol*. 2012;30(36):4458-61.

Vallance JK, Gardiner PA, Lynch BM, et al. Evaluating the Evidence on Sitting, Smoking, and Health: Is Sitting Really the New Smoking? *Am J Public Health*. 2018 Sep 25:e1-e5. doi: 10.2105/AJPH.2018.304649.

Brown JC, Schmitz KH. Weight Lifting and Physical Function Among Survivors of Breast Cancer: A Post Hoc Analysis of a Randomized Controlled Trial. *J Clin Oncol*. 2015;33(19):2184-9

Jones LW, Eves ND, Mackey JR. Safety and feasibility of cardiopulmonary exercise testing in patients with advanced cancer. *Lung Cancer*. 2007;55(2):225-32.

Christensen JF, Jones LW, Tolver A, et al. Safety and efficacy of resistance training in germ cell cancer patients undergoing chemotherapy: a randomized controlled trial. *Br J Cancer*. 2014;111(1):8-16.

Dennett AM, Peiris CL, Shields N, et al. Moderate-intensity exercise reduces fatigue and improves mobility in cancer survivors: a systematic review and meta-regression. *Physiother*. 2016;62(2):68-82.

Jones LW, Liang Y, Pituskin EN, et al. Effect of exercise training on peak oxygen consumption in patients with cancer: a meta-analysis. *Oncologist*. 2011;16(1):112-20.

Strasser B, Steindorf K, Wiskemann J, Ulrich CM. Impact of resistance training in cancer survivors: a meta-analysis. *Med Sci Sports Exerc*. 2013;45(11):2080-90.

Oldervoll LM, Loge JH, Lydersen S, et al. Physical exercise for cancer patients with advanced disease: a randomized controlled trial. *Oncologist*. 2011;16(11):1649-57.

Oldervoll LM, Loge JH, Paltiel H, et al. The effect of a physical exercise program in palliative care: A phase II study. *J Pain Symptom Manage*. 2006;31(5):421-30.

Holmes MD, Chen WY, Feskanich D, et al. Physical activity and survival after breast cancer diagnosis. *JAMA*. 2005;293(20):2479-86.

Lahart IM, Metsios GS, Nevill AM, Carmichael AR. Physical activity, risk of death and recurrence in breast cancer survivors: A systematic review and meta-analysis of epidemiological studies. *Acta Oncol*. 2015;54(5):635-54.

Wirtz P, Baumann FT. Physical Activity, Exercise and Breast Cancer - What Is the Evidence for Rehabilitation, Aftercare, and Survival? A Review. *Breast Care (Basel)*. 2018;13(2):93-101.

2018 Physical Activity Guidelines for Americans.
<https://health.gov/paguidelines/second-edition/report.aspx?>

2008 Physical Activity Guidelines for Americans.
<https://health.gov/paguidelines/guidelines/>

Schmitz, KH Courneya KS, Matthews C, et al. American College of Sports Medicine Roundtable on Exercise Guidelines for Cancer Survivors. *Med. Sci. Sports & Exercise*. 2010;42:1409-1426.

ACSMs Guidelines for Exercise Testing and Prescription. Riebe D., Senior Editor. 10th edition, 2018. Wolters Kluwer. Philadelphia.

Lab Values Resources. Roya Ghazinouri, Samidha Deshmukh, Sharon Gorman. Academy of Acute Care Physical Therapy. 2017.
<https://www.acutept.org/page/ResourceGuides?>

Bylow K, Dale W, Mustian K, et al. Falls and physical performance deficits in older patients with prostate cancer undergoing androgen deprivation therapy. *Urology*. 2008;72(2):422-7.

Winters-Stone KM, Nail L, Bennett JA, Schwartz A. Bone Health and Falls: Fracture Risk in Breast Cancer Survivors With Chemotherapy-Induced Amenorrhea. *Oncol Nurs Forum*. 2009;36(3):315-325.

Winters-Stone KM, Torgrimson B, Horak F, et al. Identifying factors associated with falls in postmenopausal breast cancer survivors: a multi-disciplinary approach. *Arch Phys Med Rehabil*. 2011;92(4):646-52.

Sattar S, Alibhai SM, Spoelstra SL, et al. Falls in older adults with cancer: a systematic review of prevalence, injurious falls, and impact on cancer treatment. *Support Care Cancer*. 2016;24(10):4459-69.

Troosters T, Gosselink R, Decramer M. Six minute walking distance in healthy elderly subjects. *Eur Respir J*, 1999; 14: 270-274.

Redelmeier DA, Bayoumi AM, Goldstein RS, Guyatt GH. Interpreting small differences in functional status: the Six Minute Walk test in chronic lung disease patients. *Am J Respir Crit Care Med*. 1997;155(4):1278-82.

Carter R, Holiday DB, Nwasuruba C, et al. 6-minute walk work for assessment of functional capacity in patients with COPD. *Chest*. 2003;123(5):1408-15

Exercise is Medicine. American College of Sports Medicine.
<http://www.exerciseismedicine.org/>.

Tanaka H, Monahan KD, Seals DR. Age-predicted maximal heart rate revisited. *J Am Coll Cardiol*. 2001;37(1):153-6.

Inbar O, Oren A, Scheinowitz M, et al. Normal cardiopulmonary responses during incremental exercise in 20- to 70-yr-old men. *Med Sci Sports Exerc*. 1994; 26: 538-46.

Garber CE, Blissmer B, Deschenes MR, et al. American College of Sports Medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise. *Med Sci Sports Exerc*. 2011;43(7):1334-59.

Kleckner IR, Kamen C, Gewandter JS et al. Effects of exercise during chemotherapy on chemotherapy-induced peripheral neuropathy: a multicenter, randomized controlled trial. *Support Care in Cancer*. 2018;26(4):1019-1028

Cormie P, Newton RU, Spry N, et al. Safety and efficacy of resistance exercise in prostate cancer patients with bone metastases. *Prostate Cancer Prostatic Dis*. 2013;6(4):328-35

Galvão DA, Taaffe DR, Cormie P, et al. Efficacy and safety of a modular multi-modal exercise program in prostate cancer patients with bone metastases: a randomized controlled trial. *BMC Cancer* 2011;11:517.

Adams SC, Iyengar NM, Scott JM, Jones LW. Exercise Implementation in Oncology: One Size Does Not Fit All. *J Clin Oncol*. 2018;36(9):925-926.

Kraschnewski JL, Schmitz KH. Exercise in the Prevention and Treatment of Breast Cancer: What Clinicians Need to Tell Their Patients. *Curr Sports Med Rep*. 2017 Jul/Aug;16(4):263-267.