

UPPER BODY REFERENCES:

1. St. John N. *Reformer 1- A Detailed Guide for Teaching Pilates*. Sacramento: Balanced Body Inc: 2007.
2. Pilates JH, Miller WJ. *Pilates' Return to Life Through Contrology*. Presentation Dynamics: 1998.
3. Byrnes k, Ping-Jung W, Whillier S; Is Pilates an effective rehabilitation tool? A systematic review. *J Body Work Mov Ther*. 2018;22(1):192-202.
4. Roller M, Kachingwe A, Beling J, Ickes D-M, Cabot A, Shrier G. Pilates Reformer exercises for fall risk reduction in older adults: A randomized controlled trial. *J Body MovTher*. 2018;22(4):983-998.
5. Cruz-Díaz D, Bergamin M, Gobbo S, Martinez-Amat A, Hita-Contreras F. Comparative effects of 12 weeks of equipment and mat Pilates in patients with Chronic Low Back Pain on pain, function and transversus abdominis activation. A randomized controlled trial. *Complem Ther*. 2017;33: 72-77.
6. Endleman I, Critchley D. Transversus Abdominis and Obliquus Internus Activity During Pilates Exercises: Measurement with Ultrasound Scanning. *Arch Phys Med Rehabil*. 2008;89:2205-2212.
7. Kao Y-H, Liou T-H, Huang Y-C, Tsai Y-W, Wang K-M. Effects of a 12-week Pilates course on lower limb muscle strength and trunk flexibility in women living in the community. *Health Care Women Int*. 2014;36(3):303-319.
8. Menacho, M., Obara, K., Conceição, J., Chitolina, M., Krantz, D., Da Silva, R., & Cardoso, J. (2010). Electromyographic effect of mat Pilates exercise on the back muscle activity of healthy adult females. *J Manipulative and Physiol Ther*. 2010; 33(9), 672-678.
9. Pereria ILR, Queiroz B, Amorim C, Sacco ICN. Trunk muscle EMG during intermediate Pilates mat exercises in beginner healthy and chronic low back pain individuals. *J Manipulative Physiol Ther*. 2017; 40:350-357.
10. Queiroz B, Cagliari M, Amorim C, Sacco I. Muscle Activation During Four Pilates Core Stability Exercises in Quadruped Position. *Arch Phys Med Rehabil*. 2010; 91:86-92.
11. Prompaet S, Paungmali A, Pirunsan U, Silitertpisan P. Effects of Pilates Training on Lumbo-Pelvic Stability and Flexibility. *Asian J Sports Med*. 2011;2(1):16-22.
12. Cruz-Díaz D, Martínez-Amat A, Osuna-Pérez MC, Torre-Cruz MJDL, Hita-Contreras F. Short- and longterm effects of a six-week clinical Pilates program in addition to physical therapy on postmenopausal women with chronic low back pain: a randomized controlled trial. *Disabil Rehabil*. 2015;38(13):13001308.
13. Hasanpour-Dehkordi, A., Dehghani, A., & Solati, K. A comparison of the effects of Pilates and Mckenzie training on pain and general health in men with chronic low back pain: A randomized trial. *Indian J Palliat Care*. 2017;23(1):36.
14. Natour J, Cazotti LA, Rierio LH, et al. Pilates improves pain, function and quality of life in patients with chronic low back pain: a randomized controlled trial. *Clin Rehabil* 2015;29:59-68.
15. Myers, T. *Anatomy Trains: Myofascial Meridians for Manual & Movement Therapists*, 3e. Churchill Livingstone: 2014.
16. Lee, D. *The Pelvic Girdle: An integration of clinical expertise and research*, 4e. Edinburgh: Churchill Livingstone: 2011.
17. St. John N, Puleo J. *Balanced Body ®Movement Principles ™: A Guide to How the Body Moves*. Sacramento: Balanced Body Inc: 2017.

18. Kibler WB, Sciascia A. Current Concepts: Scapular dyskinesis. *Br J Sports Med*. 2010; 44(5):300-305.
19. Vega Toro AS, Cools AMJ, de Oliveira AS. Instruction and feedback for conscious contraction of the abdominal muscles increases the scapular muscles activation during shoulder exercises. *Manual Ther*. 2016; 25: 11-18
20. Cho JY, Shim JH, Choi HY, Song KM, Moon SI, Seo KT. The effects of Core Stability Exercises: Using Ultrasound Imaging system on Muscle Activation of Shoulder Region. *Int J of Digital Content Tech and Applications*. 2013; 7(11): 375.
21. Hazar Kanik Z, Pala OO, Gunaydin G, Sozlu U, Alkan ZB, Citaker S. Relationship between scapular muscle and core endurance in healthy subjects. *J Back Musculoskelet Rehabil*. 2017;30(4):811-817.
22. Tsuruike M, Ellenbecker TS. Serratus anterior and lower trapezius muscle activities during multi-joint isotonic scapular exercises and isometric contractions. *J Athle Train*. 2015; 50(2):199-210.
23. Yamauchi T, Hasegawa S, Matsumura A, et al. The effect of trunk rotation during shoulder exercises on the activity of the scapular muscle and scapular kinematics. *J Shoulder Elbow Surg*. 2015; Jun 24(6):955-64.
24. Jones SA, Pamukoff DN, Mauntel TC, et al. The influence of verbal and tactile feedback on electromyographic amplitude of the shoulder musculature during common therapeutic exercises. *J Sports Rehabil*. 2017; Jul 17:1-23.
25. Voight ML, Thompson BC. The role of the scapula in the rehabilitation of shoulder injuries. *J Athl Train*. 2000; 35(3): 364.
26. Jaggi, A, Noorani A, Malone A, Cowan J, Lambert S, Bayley I. Muscle activation patterns in patients with recurrent shoulder instability. *Int J Shoulder Surg*. 2012; Oct-Dec; 6(4): 101-107.
27. Rosa DP, Borstad JD, Pogetti LS, Camargo PR. Effects of a stretching protocol for the pectoralis minor on muscle length, function, and scapular kinematics in individuals with and without shoulder pain. *J Hand Ther*. 2017; Jan - Mar;30(1):20-29.
28. Myers JB, Lephart SM. The role of the sensorimotor system in the athletic shoulder. *J Athl Train*. 2000; Jul-Sep; 35(3): 351–363.
29. Kibler WB, Ludewig PM, McClure PW, et al. Clinical implications of scapular dyskinesis in shoulder injury: the 2013 consensus statement from the ‘Scapular Summit’. *Br J Sports Med*. 2013 Sept;47(14):877-85.
30. American Physical Therapy Association. Vision statement for physical therapy profession. Available at: www.apta.org/Vision/. Accessed December 2018.
31. Reinold MM, Escamilla RF, Wilk KE. Current concepts in the scientific and clinical rationale behind exercises for the glenohumeral and scapulothoracic musculature. *J Orthop Sports Phys Ther*. 2009; Feb;39(2):105-17.
32. Turgut E, Duzgun I, Baltaci G. Scapular asymmetry in participants with and without shoulder impingement syndrome; a three-dimensional motion analysis. *Clin Biomech (Bristol, Avon)*. 2016; Nov;39:1-8.
33. Hotta GH, Santos AL, McQuade K, de Oliveira AS. Scapular-focused treatment protocol for shoulder impingement symptoms: Three-dimensional scapular kinematics analysis. *Clin Biomechanics*. 2018; 51; 76-81.

Not cited:

1. Keshavarz R, Bashardoust TS, Mir SM, Ashrafi H. The role of scapular kinematics in patients with different shoulder musculoskeletal disorders: A systematic review approach. *J Bodyw Mov Ther*. 2017; Apr;21(2):386-400.
2. Lawrence RL, Braman JP, Laprade RF, Ludewig PM. Comparison of 3-dimensional shoulder complex kinematics in individuals with and without shoulder pain, part 1: sternoclavicular, acromioclavicular, and scapulothoracic joints. *J Orthop Sports Phys Ther*. 2014; Sep;44(9):636-45, A1-8.
3. Lawrence RL, Staker JL, Braman JP, Laprade RF, Ludewig PM. Comparison of 3-dimensional shoulder complex kinematics in individuals with and without shoulder pain, part 2: glenohumeral joint. *J Orthop Sports Phys Ther*. 2014; Sep; 44(9): 646–B3.
4. Myers JB, Lephart SM. Sensorimotor Deficits Contributing to Glenohumeral Instability. *Clinical Orthop Relat Res*. 2002; Jul; (400): 98-104.
5. Saladin L, Voight M. Introduction to the movement system as the foundation for physical therapist practice, education and research. *Int J Sports Phys Ther*. 12.6 , 2017; 858-61.